

TABLE OF CONTENTS

NXT style - 128mm width - top tray only - silver ..... 2


NXT style - 128mm width - top tray only - black ..... 3

Tile Insert style - 128mm width - top tray only - black ..... 4



## PRODUCT SPECIFICATIONS

Product	Stormwater Drain
Code	L128SWGNT
Color	Silk Silver
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodized Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> <li>• Sleek Design</li> <li>• Easy Installation</li> <li>• High Water Flow</li> <li>• Lifetime Rustproof Warranty</li> </ul>




\* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.

\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at [www.lauxesdrains.com](http://www.lauxesdrains.com)

## PRODUCT SPECIFICATIONS

Product	Stormwater Drain
Code	L128SWGMINXT
Color	Midnight Black
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodized Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> <li>• Sleek Design</li> <li>• Easy Installation</li> <li>• High Water Flow</li> <li>• Lifetime Rustproof Warranty</li> <li>• UV Stable</li> </ul>




\* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.

\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at [www.lauxesdrains.com](http://www.lauxesdrains.com)

## PRODUCT SPECIFICATIONS

Product	Tile Insert Stormwater Drain
Code	L128SWGMI
Color	Midnight Black
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodized Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> <li>• Sleek Design</li> <li>• Easy Installation</li> <li>• High Water Flow</li> <li>• Suitable for tiles up to 13mm thick</li> <li>• Lifetime Rustproof Warranty</li> <li>• UV Stable</li> </ul>



\* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.

\* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at [www.lauxesdrains.com](http://www.lauxesdrains.com)