

TILE INSERT DRAINS


TABLE OF CONTENTS

STI21 - 21mm depth - silver	2
MSTI21 - 21mm depth - black	3
STI - 26mm depth - silver	4
MSTI - 26mm depth - black	5
TIP - 35mm depth - silver	6
MTIP - 35mm denth - black	7





Product	Slimline Tile Insert 21 (STI21)
Code	LCSTIGRATE21
Color	Silk Silver
Length	3.0m
Width	100mm
Depth	21mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	 Thinnest Tile Insert available Easy roll-out feature Suitable for tiles up to 10mm thick Lifetime Rustproof Warranty




^{*} Total length is 3.2m, total usable length is 3.0m to allow for any wastage during the anodizing process.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

^{*} Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.



	1
Product	Midnight Slimline Tile Insert 21 (MSTI21)
Code	LCMSTIGRATE21
Color	Midnight Black
Length	3.0m
Width	100mm
Depth	21mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	 Thinnest Tile Insert available Easy roll-out feature Suitable for tiles up to 10mm thick Lifetime Rustproof Warranty UV Stable




^{*} Total length is 3.2m, total usable length is 3.0m to allow for any wastage during the anodizing process.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

^{*} Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.



Product	Slimline Tile Insert (STI)
Code	LCSTIGRATE
Color	Silk Silver
Length	5.6m
Width	100mm
Depth	26mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	 No visible holes Easy roll out feature Suitable for tiles up to 11mm thick Lifetime Rustproof Warranty




- * Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.
- * Each kit comes complete with length of drain,5 pairs of end caps and 5 waste outlets.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com



Product	Midnight Slimline Tile Insert (MSTI)
Code	LCMSTIGRATE
Color	Midnight Black
Length	5.6m
Width	100mm
Depth	26mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	 No visible holes Easy roll out feature Suitable for tiles up to 11mm thick Lifetime Rustproof Warranty UV Stable




- * Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.
- * Each kit comes complete with length of drain, 5 pairs of end caps and 5 waste outlets.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com



Product	Tile Insert Plus (TIP)
Code	LCTIGRATE
Color	Silk Silver
Length	5.6m
Width	100mm
Depth	35mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	 Perfect for large format tiles such as travertine or stone Recommended for outdoor usage Suitable for tiles up to 18mm thick Lifetime Rustproof Warranty




- * Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.
- * Each kit comes complete with length of drain, 5 pairs of end caps and 5 waste outlets.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com



Product	Midnight Tile Insert Plus (MTIP)
Code	LCMTIGRATE
Color	Midnight Black
Length	5.6m
Width	100mm
Depth	35mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	 Perfect for large format tiles such as travertine or stone Recommended for outdoor usage Suitable for tiles up to 18mm thick Lifetime Rustproof Warranty UV Stable



- * Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodizing process.
- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com