


TABLE OF CONTENTS

14x100mm - silver - best for NXT14	2
14x100mm - black - best for MNXT14	3
21x100mm - silver - best for STI21	4
21x100mm - black - best for MSTI21	5
23x70mm - silver - best for SFG	6
23x70mm - black - best for MSFG	7
26x100mm - silver - best for WSFG, STI and NXT26	8
26x100mm - black - best for MWSFG, MSTI and MNXT26	9
35x100mm - silver - best for TIP and NXT35	10
35x100mm - black - best for MTIP and MNXT35	11



PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-14
Color	Silk Silver
Dimensions	14 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for NXT14




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-14M
Color	Midnight Black
Dimensions	14 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MNXT14




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-21
Color	Silk Silver
Dimensions	14 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for STI21




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100-21M
Color	Midnight Black
Dimensions	14 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MSTI21




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC
Color	Silk Silver
Dimensions	23 x 70mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for SFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATECM
Color	Midnight Black
Dimensions	23 x 70mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for SFG




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100S
Color	Silk Silver
Dimensions	26 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for WSFG, STI & NXT26




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100SM
Color	Midnight Black
Dimensions	26 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MWSFG, MSTI & MNXT26




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100
Color	Silk Silver
Dimensions	35 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for TIP & NXT35




- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	End Caps Pk2
Code	LCFGRATEC100M
Color	Midnight Black
Dimensions	35 x 100mm
Material	Anodized Aluminium
Applications	Indoor and Outdoor
Features	Suitable for MTIP & MNXT35



- * Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the drains.
- * Neutral cure silicone is recommended.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.