


TABLE OF CONTENTS

TCT 40mm	2
TCT 50mm	3
TCT 72mm	4
TCT 80mm	5



PRODUCT SPECIFICATIONS

Product	TCT Hole Saw
Code	LHSTCT40
Size	40mm
Features	Suitable for 40mm waste outlet




- Complete assembly included there is no requirement to purchase a separate arbor and pilot drill.
- Lauxes Drains TCT Hole Saws are an essential item for any tradie installing a Lauxes linear drain. Manufactured with Tungsten Carbide Tipped (TCT) teeth the hole saws provide superior cutting performance and durability, lasting up to 10 times longer than standard bi-metal hole saws.
- Available in four sizes to suit the Lauxes Drain pop waste sizes. 40mm, 50mm, 72mm & 80mm.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	TCT Hole Saw
Code	LHSTCT50
Size	50mm
Features	Suitable for 50mm waste outlet




- Complete assembly included there is no requirement to purchase a separate arbor and pilot drill.
- Lauxes Drains TCT Hole Saws are an essential item for any tradie installing a Lauxes linear drain. Manufactured with Tungsten Carbide Tipped (TCT) teeth the hole saws provide superior cutting performance and durability, lasting up to 10 times longer than standard bi-metal hole saws.
- Available in four sizes to suit the Lauxes Drain pop waste sizes. 40mm, 50mm, 72mm & 80mm.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com .

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	TCT Hole Saw
Code	LHSTCT72
Size	72mm
Features	Suitable for 72mm waste outlet




- Complete assembly included there is no requirement to purchase a separate arbor and pilot drill.
- Lauxes Drains TCT Hole Saws are an essential item for any tradie installing a Lauxes linear drain. Manufactured with Tungsten Carbide Tipped (TCT) teeth the hole saws provide superior cutting performance and durability, lasting up to 10 times longer than standard bi-metal hole saws.
- Available in four sizes to suit the Lauxes Drain pop waste sizes. 40mm, 50mm, 72mm & 80mm.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	TCT Hole Saw
Code	LHSTCT80
Size	80mm
Features	Suitable for 80mm waste outlet



- Complete assembly included there is no requirement to purchase a separate arbor and pilot drill.
- Lauxes Drains TCT Hole Saws are an essential item for any tradie installing a Lauxes linear drain. Manufactured with Tungsten Carbide Tipped (TCT) teeth the hole saws provide superior cutting performance and durability, lasting up to 10 times longer than standard bi-metal hole saws.
- Available in four sizes to suit the Lauxes Drain pop waste sizes. 40mm, 50mm, 72mm & 80mm.

Warranty information and Care & Maintenance can be found at www.lauxesdrains.com

Disclaimer: All Lauxes drains and accessories hold WaterMark Certification in accordance with WMTS - 040.